

AN ISO 9001: 2015 CERTIFIED COMPANY

**SHIVSHAKTI BARRELS PVT. LTD.**

*Where innovation is Tradition.*



**20+**

**Years Experience**



**WE ARE**

**Manufacturer & Supplier Of**

All Joints Welded Barrels | MS Plain Barrels | Composite Barrels  
Epoxy Coated Barrels | GI Barrels | Full Open Top Barrels

**Of Capacity 10 Litres to 210 Litres**

[www.shivshaktibarrels.com](http://www.shivshaktibarrels.com)

## ABOUT US

**SHIVSHAKTI BARRELS PVT LTD**, is one of the leading manufacturers of MS Barrels and name is now an epitome of export quality barrels and customer satisfaction. Established in year 2000, we offer large variety of Barrels / Drums manufactured with precision to various industries like chemical industry, paint industry, oil industry, pharmaceuticals industry, etc.

We are backed by a range of upgraded machines, most pragmatic and effective tools, methods, process and standards, which enable us to manufacture our products as per the specific requirements detailed by our clients.

## VISION

To be a respectable Corporate entity having market leadership with global footprints in the chosen areas of operations with a high degree of environmental and social responsibility. To achieve excellence in our products, services, process, systems, environment upgradation & above all Customer satisfaction.

**Our Motto** is to supply consistent Quality Products at Competitive Prices with Timely Deliveries & maintain Long-term Relationships with Customer.

## OUR SEGMENTS



Patroleum



Agro : Chem



Eco PKG



Agri Product



Food Product



Haz Chem

## OUR STRENGTHS

### WIDE PRODUCT RANGE

We manufacture Barrels / Drums of various sizes from 10 litres to 210 litres, suitable for wide range of product like ink, paints, oils, chemicals & fertilizers, pharmaceuticals etc.

### WIDE MANUFACTURING CAPABILITY

Machines designed in house for producing export quality packaging for hazardous chemicals.

### WIDE EXPERIENCE

We **SHIVSHAKTI BARRELS** have large experience in the packaging field for almost 3 decades.



## QUALITY

- All Barrels are Pneumatically tested to assure that they are 100% Leak Proof
- Products are manufactured as per **UN and Indian Institute of Packaging (IIP)** Standards.

## MS PLAIN BARRELS

### Standard Technical Specifications

MOC	Fresh CRCA sheet of thickness 0.8mm to 1.2mm	
DIMENSION		
MAX. HEIGHT	888 +/- 3 mm	
MAX. OUTER DIAMETER	585 +/- 3 mm	
TARE WEIGHT	16 kg - 22 kg. Weight shall vary as per sheet thickness.	
OPENING	2" and ¾" Openings.	
EXTERNAL PAINT	Shade as per customer's choice - PU Base / Synthetic Enamel on Automatic Painting System.	



### APPLICATION AREAS

- Liquid Chemicals and solvents
- Glycerine
- Pesticides
- Resins
- Paints
- Non – Hazardous Chemicals

## EPOXY COATED MS BARRELS

### Standard Technical Specifications

MOC	Fresh CRCA sheet of thickness 0.8mm to 1.2mm	
DIMENSION		
MAX. HEIGHT	888 +/- 3 mm	
MAX. OUTER DIAMETER	585 +/- 3 mm	
TARE WEIGHT	16 kg - 22 kg. Weight shall vary as per sheet thickness.	
OPENING	2" and ¾" Openings.	
INTERNAL COATING	Automatic Lancing System Of EPOXY Lacquer As Per Customers Choice	
EXTERNAL PAINT	Shade as per customer's choice - PU Base / Synthetic Enamel on Automatic Painting System.	



### APPLICATION AREAS

- Liquid Chemicals and solvents
- Glycerine
- Pesticides
- Resins
- Paints
- Non – Hazardous Chemicals

## FULL OPEN TOP BARRELS

### Standard Technical Specifications

MOC	Fresh CRCA sheet of thickness 0.8mm to 1.2mm	
<b>DIMENSION</b>		
MAX. HEIGHT	888 +/- 3 mm	
MAX. OUTER DIAMETER	585 +/- 3 mm	
TARE WEIGHT	16 kg - 22 kg. Weight shall vary as per sheet thickness.	
OPENING	Top fitted with flat, circular or C-type gaskets with help of ring with Lever type or Nut Bolt type closing mechanism.	
EXTERNAL PAINT	Shade as per customer's choice - PU Base / Synthetic Enamel on <b>Automatic Painting System.</b>	

• We also provide Lacquer coated Full Open Top Barrels with above specifications.

### APPLICATION AREAS

- Inks
- Resins
- Semi- Liquid Chemicals
- Powder form Chemicals



## GI BARRELS

### Standard Technical Specifications

MOC	Fresh G P sheet of 1.00 mm / 1.2 mm / 1.5mm with 120 to 180 GSM	
<b>DIMENSION</b>		
MAX. HEIGHT	888 +/- 3 mm	
MAX. OUTER DIAMETER	585 +/- 3 mm	
WEIGHT	Weight will vary as per thickness of sheets from 16kg - 24 kg.	
OPENING	2" and ¾" Openings.	



### APPLICATION AREAS

- Drug Intermediaries
- Hazardous Chemicals
- Pharma API



## COMPOSITE BARRELS

### Standard Technical Specifications

MOC	Fresh CRCA sheet of 1.00mm – 1.2mm thickness
<b>DIMENSION</b>	
MAX. HEIGHT	888 +/- 3 mm
MAX. OUTER DIAMETER	585 +/- 3 mm
WEIGHT	Weight shall vary as per thickness of sheets from 22 kg to 27 kg
INNER SIDE	HMHDPE liner of white or blue color with 3.5 kg / 5.5 kg weight.
OPNENING	2" Openings - 2 Nos.
EXTERNAL PAINT	Shade as per customer's choice - PU Base / Synthetic Enamel on <b>Automatic Painting System.</b>

### APPLICATION AREAS

- Aromatics
- Agro Chemicals
- Fertilizers
- Inflammable Liquids



## ALL JOINT WELDED BARRELS

### Standard Technical Specifications

MOC	Fresh CRCA sheet of 1.00 mm - 1.6mm
<b>DIMENSION</b>	
MAX. HEIGHT	888 +/- 2 mm
MAX. OUTER DIAMETER	585+ / -2 mm
WEIGHT	18 To 30 kg +/- 500 gm
OPNENING	2" and ¾" Openings.
EXTERNAL PAINT	Shade as per customer's choice - PU Base / Synthetic Enamel on <b>Automatic Painting System.</b>



### APPLICATION AREAS

- Highly hazardous chemicals
- Pharmaceuticals products

**We also provide Lacquer coated All Joints Welded Barrels.**

- Along with vertical seam resistance welding, Tops and Bottoms are also welded carefully with high quality techniques. This process ensures the safety while packaging and transporting highly hazardous chemicals.

## Bitumen Drums

### Standard Technical Specifications

MOC	Fresh CRCA / MS CR2 Grade of 0.6 MM
<b>DIMENSION</b>	
MAX. EXTERNAL HEIGHT	865 +/- 3 MM
MAX. EXTERNAL DIAMETER	500 +/- 3 MM at Rolling Hoops
OPENINGS	1 Nos, 7 Inch
WEIGHT	9 KG +/- 300 GM

### APPLICATION AREAS

- Packaging & Export of VG Grade Bitumen



### SMALL DRUMS 10 to 100 Ltr



#### PLAIN DRUMS WITH 4 INCH OPENING

##### CAPACITY

10 Litre, 15 Litre, 20 Litre,  
25 Litre, 30 Litre



#### PLAIN DRUMS WITH 2 INCH SCREW TYPE OPENING

##### CAPACITY

10 Litre, 15 Litre, 20 Litre, 25 Litre,  
30 Litre, 50 Litre, 65 Litre, 80 Litre, 100 Litre

## SMALL DRUMS



LACQUERED DRUMS WITH 2 INCH OPENING

### CAPACITY

10 Litre, 15 Litre, 20 Litre, 25 Litre,  
30 Litre, 50 Litre, 65 Litre, 80 Litre, 100 Litre



GI DRUMS MANUFACTURED FROM GP SHEETS

### CAPACITY

10 Litre, 15 Litre, 20 Litre, 25 Litre,  
30 Litre, 50 Litre, 65 Litre, 80 Litre, 100 Litre

## COMPOSITE DRUMS



### CAPACITY

Capacity 55 Litre, 80 Litre

WE ARE WELL EQUIPPED WITH TECHNICAL MANPOWER TO  
ACCOMMODATE ANY CUSTOMIZATION IF ANY REQUIRED IN  
SHORT SPAN OF TIME.

## OUR CLIENTS



## CONTACT US

**Plant :** Opp. Gujarat Metal Cast,  
**Village :** Dunia, Halol - Kalol Road, Halol - 389350

## Contact Details

**Prerit Parihar**

**+91 - 9879019451**

**Jaivik Parihar**

**+91 - 9879462829**

## EMAIL

 [info@shivshaktibarrels.com](mailto:info@shivshaktibarrels.com) / [enquiry@shivshaktibarrels.com](mailto:enquiry@shivshaktibarrels.com)



[www.shivshaktibarrels.com](http://www.shivshaktibarrels.com)